New in our rental/sales ...



Mechelsesteenweg 209 1970 Wezembeek-Oppem Tel./fax: +32 (0)2 306 88 05 BTW / TVA: BE861.323.277

Mail: empirelightsound@pandora.be Web: http://www.empirelightsound.com



QSC - Powered speaker range - HPR series.

Specifications:

The HPR Series offers performers the power, technology and legendary reliability of QSC amplification combined with the simplicity and convenience of powered loudspeaker systems. Whether your application is vocal reinforcement, dance music or full-tilt rock and roll sound, there's an HPR speaker system for you.

Every HPR model is built around a high-power, reliable QSC power module using the same top-quality components and design standards as QSC RMX series amplifiers. Thick aluminum heat sink extrusions with deep fins provide mechanical strength and plenty of surface area to keep the module running cool. While many powered speaker amplifier modules use low-cost "chip amps", the HPR series features discrete component designs that deliver the best possible performance even when pushed to the limit. The power modules incorporate sophisticated signal processing functions carefully tailored to the loudspeaker system. Each amplifier channel includes its own limiting with the parameters individually optimized for the frequency band.

All HPR models are constructed of rugged birch. The speaker components are protected by a heavy 16 gauge perforated steel grille with a distinctive and professional appearance. A grille-mounted power LED may be disabled by means of a rear-panel switch when desired. The HPR122i, HPR152i and HPR153i also feature integrated M10 suspension points for installed applications.

HPR152i 15" 2-way Powered Loudspeaker

The bi-amplified 15" 2-way HPR152i is a versatile speaker that's at home in nearly any sound reinforcement setting. A high-power low-frequency driver with a 3" voice-coil provides extension down to 47 Hz. The 1.75" (diaphragm) compression driver on a 90° x 60° horn delivers smooth high frequencies up to 20 kHz. A 500 watt (400 LF / 100 HF) power module includes a 100 Hz high-pass filter (HPF) for use in subwoofer-equipped systems.

- Power module based on the best-selling RMX series amplifier technology provides 500 total watts of power
- Attractive and professional appearance
- Rugged birch enclosure
- Tour-grade 16 gauge steel grille
- Ergonomic handles with comfortable, non-slip grip
- 35 mm pole socket
- 3 M10 rigging points for suspended installation

Applications:

- General sound reinforcement
- Live performance
- Mobile DJ and dance music
- A/V presentation

Rental price: 25,00€



HPR181i 18" Powered Subwoofer

For high-level dance music or reinforcement of bass instruments and kick drum, an HPR series subwoofer will add low-frequency extension and power to any sound system. The HPR181i single 18" subwoofer offers truly impressive low frequency extension and output. A 4" voice-coil driver and a 700 watt power module work to produce 134 dB SPL peak, at 1 meter with frequency response down to 39 Hz. The HPR181i also includes a top-mounted 35mm pole socket and heavy-duty 3" casters to facilitate load-in and load-out.

- Power module based on the best-selling RMX series amplifier technology provides 700 watts of class H power
- Attractive and professional appearance
- Rugged birch enclosure
- Tour-grade 16 gauge steel grille
- Ergonomic handles with comfortable, non-slip grip
- 35 mm pole socket

Applications:

- Live sound reinforcement of bass, kick-drum, etc.
- Higher-SPL dance music



